



ACCENT Smart 65"75"86"CB



Display

| | |
|-----------------------------|------------------------|
| Brand | ACCENT |
| Aspect Ratio | 16:9 |
| Display Area | 1428.48(H)*803.52(V)mm |
| Resolution | 3840(H)*2160(V) |
| Pixel Pitch | 0.372* 0.372mm |
| Response Time | 6ms |
| Refreshing Frequency | 60Hz |
| Display Color | 1.07B(10bit) |
| Back Light Type | DLED |
| Brightness with glass (Typ) | 280 cd/m ² |
| Brightness with glass (min) | 250 cd/m ² |
| Contrast Ratio | 4000:1 |
| Viewing Angle | °178 (H/V) |

Video/Audio

| | |
|---------------|------------------|
| Speaker Type | Built-in Speaker |
| Sound Channel | 2.0 |
| Output Power | 2*8W |

Display Connectors

| | |
|-------------|-----------------------------------|
| HDMI IN | 2 |
| VGA IN | 1 |
| PC AUDIO IN | 1 |
| AUDIO OUT | 1 |
| USB 2.0 | 3(Including 2 USB ports in front) |
| USB 3.0 | 1 |
| TOUCH OUT | 1 |
| TF Card | 1(Maximum Scalable Memory 64GB) |
| RS232 | 1 |
| LAN(RJ45) | 1 |

Touch System

| | |
|---------------------|---|
| Sensing Type | Infrared recognition |
| System | Windows10/Windows8/Windows7/ Linux/Mac/Android |
| Touch point | 10 points writing and 20 points touches |
| Minimum object size | 3mm |
| Touch Tool | Finger, Finger cover by glove, Opaque objects |
| Response Time | <15ms |
| Accuracy | ±2mm (over %90 Area) |
| Writing Height | 4mm |
| Communication Mode | Full-speed USB |
| Touch Drive | Free drive |
| Surface Hardness | Toughened Glass with Level 7 of Mohs Standard |
| Output Coordinate | 32767*32767 |

Android System

| | |
|----------------|------------------------------|
| System Version | Android 7.0 |
| CPU | ARM Cortex A73 Dual Core CPU |
| GPU | Mali 450 |
| RAM | 2GB |
| ROM | 16GB |

Power

| | |
|--------------------|-------------------|
| Power Requirements | 100-240V~ 60/50Hz |
| Overall Power | 250W |
| Standby Power | ≤0.5W |